



1,4SIGHT®

Aerosol Grade - Potato Dormancy Enhancer

Active Ingredient: 1,4-Dimethylnaphthalene* 97.4%
Other Ingredients: 2.6%
TOTAL 100.0%

* Contains 8.2 pounds active ingredient per gallon

Keep Out of Reach of Children

WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals – Warning: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Wear protective eyewear (goggles or face shield). Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Environmental Hazards: This product is highly toxic to freshwater fish and aquatic invertebrates. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.

Emergency Information

For spill, leak, fire, exposure, or accident call PERS 1-800-633-8253.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Keep container closed. This product temporarily inhibits germination of seed potatoes.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances.

Net Contents 5 Gallons

Manufactured For:
D-I-1-4, a division of 1,4GROUP, Inc.
P.O. Box 860
Meridian, ID 83680

EPA Reg. Number 67727-1
EPA Est. Number 065726-ID-001
Product of El Salvador
Revision 070218

NOTICE

- 1,4SIGHT® is used as an aerosol to enhance the dormancy of potatoes during the storage phase.
- Applicators and other handlers must wear: long-sleeved shirt, long pants, shoes, socks, protective eyewear (goggles or face shield), and chemical resistant (such as nitrile or butyl) gloves.
- For reentry into treated areas during application and prior to ventilation or settling of aerosol fog, workers must wear: coveralls over long-sleeved shirt, long pants, shoes plus socks, and chemical resistant (such as nitrile or butyl) gloves; face-sealing goggles, unless a full-face respirator is worn; and a respirator with an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.
- 1,4SIGHT® must not be applied to potatoes in the field.
- 1,4SIGHT® may be applied anytime after the potatoes are placed into the storage area.
- 1,4SIGHT® is a short term dormancy enhancer which should not adversely affect eventual germination of seed potatoes.
- Let 60 days elapse before using a treated storage area as a temporary holding area for seed potatoes. Air system components (including ducts) and building must be thoroughly ventilated before area is used for storage of seed potatoes to prevent dormancy effects.
- Do not allow vapors to come in contact with storage areas used for seed potatoes within 30 days of their planting.

FORCED AIR DISTRIBUTION METHOD

1. Prepare aerosol generating equipment. The discharge from the vaporizer should be located to provide optimum distribution in the storage area. Take precautions to prevent the spray from coming into direct contact with the potatoes.
2. Running fans during the application may aid disbursement of vapors, but is not required.
3. It is advantageous to keep the storage area closed as long as practical to allow for maximum absorption into the potatoes.

TREATMENT OF STORAGE AREAS THAT DO NOT HAVE RECIRCULATING AIR SYSTEMS

These storage areas are more difficult to treat. Additional steps must be taken to treat these storage areas.

1. Prepare aerosol generating equipment. The discharge from the vaporizer should be located to provide optimum distribution in the storage area. Take precautions to prevent the spray from coming into direct contact with the potatoes.
2. Completely close off the area to be treated. This may include vent doors in the attic and walk doors around the perimeter. The large truck doors may need to be sealed to prevent excess leakage.
3. Begin treatment by following the listed steps:
 - A. Start the aerosol generator.
 - B. Adjust the location of the vaporizer so all the storage area receives an equal amount of aerosol fog. It may be necessary to move the vaporizer during the application or make the application in multiple phases. For reentry into treated areas during application and prior to ventilation or settling of the aerosol fog, workers must wear: coveralls over long-sleeved shirt, long pants, shoes plus socks, and chemical resistant (such as nitrile or butyl) gloves; face-sealing goggles, unless a full-face respirator is worn; and a respirator with an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.
4. Wait at least 12 hours before fresh air is introduced into the storage area, then return the storage area to "normal" operation.
5. It is advantageous to keep the storage area closed as long as practical to allow for maximum absorption into the potatoes.

TREATMENT IN SMALL CONTAINERS

1. Prepare the application equipment. The discharge from the applicator should be located to provide optimum placement in the storage area. Take precautions to prevent the spray from coming into direct contact with the potatoes.
2. It is advantageous to keep the storage area closed as long as practical to allow for maximum absorption into the potatoes.

APPLICATION TIMING AND RATES

Application of 1,4SIGHT® can be made anytime after the potatoes are placed in the storage area.

1. Apply at rates of up to 1 pound of active ingredient per 50,000 lbs (500 cwt), which is equivalent to 20 ppm on a product to crop basis or 1 gallon per 4,000 cwt.
2. While potatoes may be retreated as necessary for effective control, do not exceed the maximum application of 80 ppm during the storage season.