



DECCO 400 EC
POTATO SPROUT INHIBITOR

EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENT:

Chlorpropham Isopropyl N-(3-Chlorophenyl)Carbamate37.24%

OTHER INGREDIENTS:.....62.76%

TOTAL.....100.0%

*Contains 3.27 pounds active ingredient per gallon

EPA REG. NUMBER: 2792-77

EPA EST. NUMBER 2792-CA-1

Net Content: 5 Gallons

30 Gallons

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

IF INHALED:

Move person to fresh air.

If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice.

IF SWALLOWED:

Call poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by poison control center or doctor.

HOT LINE NUMBER:

In case of emergency call Chemtrec at 1- 800-424-9300

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolong or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE):

If you want more options, follow instructions for Category A on an EPA chemical-resistant category selection chart.

Applicators and other handlers must wear:

- long sleeve shirt and long pants;
- shoes plus socks
- chemical resistant gloves. Some materials that are chemical resistant to this product are barrier laminate, butyl rubber and nitrile rubber. If you want more options, follow instructions for Category C on an EPA chemical-resistant category selection chart.

Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
User should remove PPE immediately after handling this product. Wash outside of gloves before removing.
As soon as possible wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water, or to area where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION:

Decco 400 EC is applied at a 1% active ingredient level on washed and damp dried potatoes. The diluted material should be applied using spray nozzles placed evenly across the rollers on which the potatoes are being move.

DILUTION OF THE CONCENTRATE:

Add 1 gallon of Decco 400 EC to 36 gallons of water and mix well. A milky white emulsion will develop. Use this diluted emulsion at a rate of 1 gallon per 8,000 lbs of potatoes. This is equivalent to 0.0104 lb ai/ 1000 lb potatoes. The maximum seasonal application rate for Decco 400 EC is 0.0104 lb ai / 1000 lb of potatoes.

NOTE:

Do not reuse the diluted material that was prepared 24 hours or more without mixing well. Decco 400 EC sprout inhibitor is used for treatment of potatoes after harvest. Potatoes must be cured prior to treatment and, for maximum sprout inhibition, should be washed clean.

ENTRY RESTRICTIONS: Following application, workers (e.g. baggers) must wear chemical-resistant gloves while potatoes are wet.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: avoid storage below freezing temperature. Prolong storage may result in gel formulation. Warming contents and agitation will restore material to useable conditions, but do not heat above 250 °F.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used or chemically processed must be disposed of according to applicable Federal, State and local procedures.

CONTAINER DISPOSAL: .Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

For 5 gallons container: Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For 30 gallons container: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

WARRANTY AND DISCLAIMER

DECCO US POST-HARVEST INC. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. DECCO US POST-HARVEST INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT ALLOWED BY APPLICABLE LAW, IN NO CASE SHALL DECCO US POST-HARVEST INC. OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST, OR OTHER EXPENSES INCURRED IN REPACKAGING, SORTING OR REPROCESSING.

DECCO US POST-HARVEST INC. and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of DECCO US POST-HARVEST INC.

DECCO US POST-HARVEST INC.
1713 S. California Ave.
Monrovia, CA 91017-0120

Revised 9/23/11